

モデル	HDD 容量	解像度	画質	カメラ4台接続時 各カメラフレーム数				
				1fps	5fps	7fps	15fps	30fps
TH-CK4204A	2TB	720p (1280×720)	Super	54.4	27.3	23.9	21.0	19.2
			Hight	76.0	44.5	39.7	35.6	32.9
			Std	104.5	78.6	73.2	68.2	64.8
			Low	116.3	98.8	94.7	90.5	87.6
		1080p (1920×1080)	Super	43.6	20.4	17.7	15.4	—
			Hight	58.6	30.3	26.5	23.4	—
			Std	87.6	56.3	51.0	46.3	—
			Low	99.2	70.7	65.3	60.2	—
	4TB	720p (1280×720)	Super	108.9	54.7	47.7	41.9	38.4
			Hight	151.9	89.0	79.4	71.1	65.7
			Std	209.1	157.1	146.5	136.4	129.6
			Low	232.5	197.7	189.3	181.0	175.1
		1080p (1920×1080)	Super	87.2	40.9	35.4	30.9	—
			Hight	117.3	60.6	53.1	46.8	—
			Std	175.1	112.6	102.1	92.5	—
			Low	198.3	141.5	130.6	120.4	—
	6TB	720p (1280×720)	Super	163.3	82.0	71.6	62.9	57.6
			Hight	227.9	133.6	119.1	106.7	98.6
			Std	313.6	235.7	219.7	204.6	194.3
			Low	348.8	296.5	284.0	271.5	262.7
		1080p (1920×1080)	Super	130.8	61.3	53.0	46.3	—
			Hight	175.9	90.9	79.6	70.2	—
			Std	262.7	169.0	153.1	138.8	—
			Low	297.5	212.2	195.9	180.6	—

単位:日

※フレーム数はカメラ1台あたりのフレーム数となります。

※録画時間は参考値です。接続するカメラの被写体によって録画時間が異なる場合があります。

モデル	HDD 容量	解像度	画質	カメラ8台接続時 各カメラフレーム数				
				1fps	5fps	7fps	15fps	30fps
TH-CK5608A	3TB	720p (1280×720)	Super	40.8	20.5	17.9	15.7	14.4
			Hight	57.0	33.4	29.8	26.7	24.7
			Std	78.4	58.9	54.9	51.1	48.6
			Low	87.2	74.1	71.0	67.9	65.7
		1080p (1920×1080)	Super	32.7	15.3	13.3	11.6	—
			Hight	44.0	22.7	19.9	17.5	—
			Std	65.7	42.2	38.3	34.7	—
			Low	74.4	53.0	49.0	45.2	—
	6TB	720p (1280×720)	Super	81.6	41.0	35.8	31.5	28.8
			Hight	114.0	66.8	59.5	53.3	49.3
			Std	156.8	117.8	109.9	102.3	97.2
			Low	174.4	148.2	142.0	135.8	131.3
		1080p (1920×1080)	Super	65.4	30.6	26.5	23.1	—
			Hight	87.9	45.4	39.8	35.1	—
			Std	131.3	84.5	76.5	69.4	—
			Low	148.7	106.1	97.9	90.3	—
	9TB	720p (1280×720)	Super	122.5	61.5	53.7	47.2	43.2
			Hight	170.9	100.2	89.3	80.0	74.0
			Std	235.2	176.8	164.8	153.4	145.7
			Low	261.6	222.4	213.0	203.6	197.0
		1080p (1920×1080)	Super	98.1	46.0	39.8	34.7	—
			Hight	131.9	68.1	59.7	52.6	—
			Std	197.0	126.7	114.8	104.1	—
			Low	223.1	159.1	146.9	135.5	—

単位:日

※フレーム数はカメラ1台あたりのフレーム数となります。

※録画時間は参考値です。接続するカメラの被写体によって録画時間が異なる場合があります。

モデル	HDD 容量	解像度	画質	カメラ16台接続時 各カメラフレーム数				
				1fps	5fps	7fps	15fps	30fps
TH-CK5616A	3TB	720p (1280×720)	Super	20.4	10.3	9.0	7.9	7.2
			Hight	28.5	16.7	14.9	13.3	12.3
			Std	39.2	29.5	27.5	25.6	24.3
			Low	43.6	37.1	35.5	33.9	32.8
		1080p (1920×1080)	Super	16.4	7.7	6.6	5.8	—
			Hight	22.0	11.4	10.0	8.8	—
			Std	32.8	21.1	19.1	17.4	—
			Low	37.2	26.5	24.5	22.6	—
	6TB	720p (1280×720)	Super	40.8	20.5	17.9	15.7	14.4
			Hight	57.0	33.4	29.8	26.7	24.7
			Std	78.4	58.9	54.9	51.1	48.6
			Low	87.2	74.1	71.0	67.9	65.7
		1080p (1920×1080)	Super	32.7	15.3	13.3	11.6	—
			Hight	44.0	22.7	19.9	17.5	—
			Std	65.7	42.2	38.3	34.7	—
			Low	74.4	53.0	49.0	45.1	—
	9TB	720p (1280×720)	Super	61.2	30.8	26.9	23.6	21.6
			Hight	85.5	50.1	44.7	40.0	37.0
			Std	117.6	88.4	82.4	76.7	72.9
			Low	130.8	111.2	106.5	101.8	98.5
		1080p (1920×1080)	Super	49.1	23.0	19.9	17.4	—
			Hight	66.0	34.1	29.9	26.3	—
			Std	98.5	63.4	57.4	52.1	—
			Low	111.5	79.6	73.4	67.7	—

単位:日

※フレーム数はカメラ1台あたりのフレーム数となります。

※録画時間は参考値です。接続するカメラの被写体によって録画時間が異なる場合があります。